

U.S. PATENT APPLICATION FOR:

**SYSTEM AND METHOD FOR BUILDING  
AND EXECUTING A NAVIGATION  
INSTRUCTION VIA CORRESPONDING  
SENTENCE CONSTRUCTION**

**INVENTOR:**

**Sandro Pasquali**

**040.0023**

040.0023

## **TITLE OF THE INVENTION**

### **SYSTEM AND METHOD FOR BUILDING AND EXECUTING A NAVIGATION INSTRUCTION VIA CORRESPONDING SENTENCE CONSTRUCTION**

5

## **BACKGROUND OF THE INVENTION**

### **Field of the Invention**

The present invention relates to systems and methods that are used to locate content via the Internet and World Wide Web (WWW).

10

### **Description of the Related Art**

The Internet and the World Wide Web (WWW) have significantly impacted the way people receive information, purchase goods and services, and generally communicate. The Internet and WWW have facilitated whole content delivery industries that provide up-to-the-minute delivery (and sale) of information such as news, weather, sports scores, horoscopes, stock and securities information, advertising, etc. Many companies have recognized the great "gold-rush" nature of the Internet and have been quick to establish web-sites where people (a.k.a. "network surfers") can visit to purchase books online, to receive specialized content such as investment and other reports, and to subscribe to content delivery services such as "electronic" newspapers and magazines. Despite the widespread use and acceptance of the Internet and the WWW, many industry analysts and insiders insist that our society has only begun to realize the advantages of publicly accessible network technologies and predict that our lives will only be further impacted by increased uses of the "Net."

25  
30



Thus, there exists a need to provide new and improved systems and methods to facilitate quick and accurate access to network content. Such systems and methods must allow effective and efficient deployment of network content search facilities without requiring Internet and WWW infrastructures and standards to change. And, to be viable, network users must be able to access network content without having to correctly guess accurate keywords to drive effective search engine searches and without having to review exhaustive lists of resultant hyperlinks.

#### SUMMARY OF THE INVENTION

The present invention solves the above-described problems associated with finding and accessing network content. In solving such problems, several benefits are realized. For example, the present invention provides a hierarchical approach at indexing network content. The present invention allows such a hierarchical approach to be manifested in a WWW browser application in the form of easy-to-use drop-down selection boxes without having to specify special keywords and the like. Network users are now able to easily specify content search and location criteria, especially for commonly used searches and the like. And, WWW site providers can utilize the present invention to generate advertising revenue by selling access to positions within drop-down lists of available network destinations and simply selling the position itself.

Accordingly, in solving the aforementioned problems to deliver the above-described benefits, the present invention provides a system and method for building and executing a network navigation instruction via corresponding sentence construction that includes and involves a server data processing system having at least one database storing navigation options

and corresponding navigation destination instructions. The system and method further include and involve a client data processing system that is coupled to the server data processing system via an electronic data network. The client data processing system is configured with at least one program. The at least one program causes the client data processing system to access the server data processing system to load the navigation options and the corresponding navigation destination instructions into a local data storage facility, and to facilitate construction of a navigation sentence via selection of pre-configured sentence parts. The pre-configured sentence parts include a destination corresponding to at least one of the navigation options and the corresponding navigation destination instructions. The client data processing system retrieves network content based on the navigation sentence.

According to another aspect of the present invention, provided is a method for facilitation network content searching. The method includes the steps of generating a software package that includes at least one network navigation destination instruction. The software package facilitates construction of a navigation sentence via selection of pre-configured sentence parts. The pre-configured sentence parts include at least one network navigation destination instruction. A serving step involves distributing the software package to a client data processing system to be run thereby.

The aforementioned and other aspects of the present invention are described in detail in the text that follows.

### BRIEF DESCRIPTION OF THE DRAWINGS

30           The present invention is described in detail below with  
reference to the following drawing figures, of which:

FIG. 1A is a block diagram of a network data processing environment and one in which a search sentence may be constructed in accordance with a preferred embodiment of the present invention;

5           FIG. 1B is a screen image that depicts structural aspects of the present invention and, in particular, search sentence construction structures provided in accordance with a preferred embodiment of the present invention to facilitate generation of destination navigation instructions;

10           FIG. 2 is a block diagram that depicts search sentence construction in accordance with a preferred embodiment of the present invention;

            FIG. 3A is a flowchart that illustrates operations to be carried out to facilitate construction of a search sentence and a  
15           corresponding destination navigation instruction in accordance with a preferred embodiment of the present invention; and

            FIG. 3B is the conclusion of the flowchart started in FIG. 3A.

20                           **DETAILED DESCRIPTION OF  
THE PREFERRED EMBODIMENTS**

            The present invention is now discussed in detail with reference to the drawing figures that were briefly described above. Unless otherwise specified, like parts, systems, and  
25           processes are referred to with like reference numerals.

**Glossary**

            The following terms may be used within the instant patent document to illustrate and define the novel features of the present invention. Accordingly, reference should be had to this Glossary  
30           for definitions of terms that are used to provide enabling disclosure related to the present invention's systems and methods

for facilitating a windows based content manifestation environment within a WWW browser.

The terms that are capitalized below bear the following meanings.

5           Content is any form of digital data stream that may be supplied or sent to a computing system such as a personal computer. In the context of the present invention, content includes advertising information that may take the form of a data stream of video, audio, etc. Any media format that may be used  
10 to deliver active, dynamic content to a computer screen and other peripheral devices (e.g., sound systems, etc.) may be considered content in the context of the present invention.

          The WWW is the world wide web and its associated protocols and related technologies which may be accessed via  
15 the Internet.

          A WWW browser client is a software application that is operative to receive and process content to produce a corresponding output (e.g., to manifest text and images within a browser window displayed on a monitor device, etc.).

20           An Electronic Data Network is any type of network environment from which at least one coupled computer or computing system is configured to receive content such as HTML and related WWW content and to process the same to produce an appropriate output. An exemplary electronic data network is  
25 the Internet along with the WWW.

          A window object is a Module or a Layer.

          A Layer is a WWW browser content display section produced within a content manifestation environment (CME) including, but not limited to, any object within an HTML document  
30 that may be scaled, dragged, or otherwise operated upon such as an IMG object, a SPAN object, a DIV object, a form element, etc.

0976046-0339

and which may be associated with program logic such as within a script, etc. A layer has its own properties including, but not limited to, a name, etc. within an HTML rendition model such as those defined by DHTML standards. Additionally, a layer acts  
5 independently of other content within a particular HTML document.

A CME is a controllable WWW browser content display window provided by a WWW browser. For example, a CME is viewed as a dynamic window in which WWW content is normally  
10 displayed.

A Module (also referred to herein as a Window Module) is a layer having (1) a control section, and (2) a related content display section which may be manifested within a CME. A module may be recursively referenced in that a particular module  
15 provided in accordance with the present invention may include other modules. In other words, the present invention makes it possible to have window objects within window objects. The control section of a module may contain a name associated with the module, one or more module sizing icons, etc.

20 A DMOD is a draggable module much like a draggable type window provided within an operating system environment.

A TMOD is a tiled module much like a tiled type window provided within an operating system environment.

A Fixed Screen Region or FSR is an area of a screen  
25 environment such as within a CME in which content may flow based on Module operations, Java applet control, etc.

A Fixed Layer or FL is a layer having the same behavior as a FSR.

A Content Manifestation Layer or CML is a pop-up type  
30 layer much like a pop-up dialog box that can manifest content



based on operations occurring within a Module (e.g., hyper-link traversal and/or occurrence of another event, etc.).

Module Controls or MCs control objects such as objects associated with screen icons that react to events (e.g., mouse clicks, mouse-overs, double-clicks, etc.) and which control attributes of a module (e.g., minimization, maximization, closure, resizing, etc.). The icons associated with such control objects will appear in a control section of a module.

The terms "dynamic manifestation" and "dynamic display" refer to the rendition of content such as advertising and marketing content received via an electronic data network such as the Internet and WWW within a module provided in accordance with the present invention. For example, dynamic manifestation includes the display of a full motion video stream within a window module in accordance with the present invention.

The aforementioned and defined terms may be made plural in the text found below (e.g., "DMODs"). Such terms may only be referred to in documentation incorporated by reference herein.

## **STRUCTURAL ASPECTS OF THE PRESENT INVENTION**

In describing the present invention, the same may utilize technology which has been described and disclosed in commonly owned, co-pending U.S. Patent Application Serial No. 09/234,297 filed January 31, 1999, entitled "SYSTEM AND METHOD FOR FACILITATING A WINDOWS BASED CONTENT MANIFESTATION ENVIRONMENT WITHIN A WWW BROWSER" which application and content are hereby incorporated by reference.

Referring now to FIG. 1A, depicted therein is a block diagram of a network data processing environment in which a search sentence may be constructed in accordance with a

BP  
- PENDING 5/12/00  
- PN 6272492  
ISSUED 8/07/01 (AP)



that may be accessed in accordance with a search sentence constructed based on the present invention.

Referring now to FIG. 1B, depicted therein is a screen image that illustrates structural aspects of the present invention and, in particular, search sentence construction structures provided in accordance with a preferred embodiment of the present invention.

In particular, screen image 100 depicts a WWW browser window or CME 102 of a running WWW browser application program such as one provided by the NETSCAPE COMMUNICATOR V.4.5 software package which is manufactured and marketed by NETSCAPE COMMUNICATIONS CORP. In CME 102, a WWW has been downloaded to the aforementioned WWW browser software application to be manifested on a display unit such as video monitor, etc. which is connected to a client computing system such as a personal computer or other data processing system.

In CME 102, sentence construction structures are provided to allow a user to select sentence parts to construct a search sentence that will correspond to a network location (e.g., a URL, etc.) from/at which a user will be able receive content, engage in electronic commerce, or otherwise utilize network resources. In the context of the present invention, search sentence construction is achieved via sentence part selection. Sentence parts, in the context of the present invention, include verbs (content access actions such as BUY, SELL, SEARCH, etc.), subjects (specific content such as CARS, HOUSES, STAMPS, etc.), and destinations (specific, pre-configured network locations that support or otherwise provide content and services related to selected verbs and subjects). Such sentence parts are pre-determined and are stored within database constructs (e.g.,



a user may want to SELL STAMPS (e.g., historic postage stamps) at a network location known as UBID (WWW.UBID.COM).

After selecting the appropriate and available sentence parts to construct a search sentence, a user may submit the constructed search sentence by clicking a "GO" button 112. GO button 112 causes the user's browser, in accordance with the present invention, to access or otherwise traverse a network or other address to access a corresponding content or service source. For example, as shown within a browser window 114, a network location may be accessed and manifested therein. In particular, window 114 illustrates the UBID web site where the user may sell stamps in an auction format.

The construction of a search sentence that facilitates generation and/or determination of a destination navigation instruction is further illustrated in FIG. 2 to which reference is now made. In particular, FIG. 2 is a block diagram that depicts search sentence construction in accordance with a preferred embodiment of the present invention. As noted above with regard to FIG. 1, search sentence construction is achieved via user selection of sentence parts. That is, a search sentence is comprised of a verb (A), a subject (B), a provider/destination (C) to realize a destination navigation instruction (D) (e.g., URL, etc.). That is, a search sentence may be defined by the expression  $A+B+C=D$ .

A process to facilitate generation and evaluation of the expression  $A+B+C=D$  is described below with regard to FIGS. 3A and 3B.

The aforementioned structural aspects of the present invention are further illustrated and explained with regard to several computer software programs that are listed below. Those familiar with hyper-text markup language (HTML) scripts and javascript coding will recognize the constructs listed in the

computer software listings presented below after carefully reviewing the same. Moreover, such listings and corresponding files may be stored at a server system or facility (e.g., a WWW server system) and served to client systems such as personal computer systems coupled to the server facility via an electronic data network such as the Internet and WWW. Those familiar with modern networking technologies will immediately understand such storage and retrieval of files, and WWW resources.

### index.html

The listing entitled "index.html" found below forms the basis of a WWW site page that facilitates the constructs shown in FIG.

1. In particular, index.html may be loaded (e.g., such as via a download operation over an electronic data network such as the Internet and WWW, a file load from a local data store, etc.) into a WWW browser software application for processing thereby to manifest the constructs depicted in FIG. 1 and the operations described below with regard to FIGS. 3A and 3B.

```
<HTML>
<HEAD>
<TITLE>The Title of the Page</TITLE>
<script language="Javascript"></script>
<script language="Javascript">
var IE4 = (document.all) ? 1 : 0;
var N4 = (document.layers) ? 1 : 0;
var IS4 = (IE4 && N4) ? 1 : 0;

</script>
<script language="Javascript" src="drop_downs.js"></script>
<script language="Javascript" src="menu_functions.js"></script>
</HEAD>
<BODY bgcolor=#ffffff >
<script language="Javascript">

    with(top.document)
    {
        /***** first write the output image *****/

        writeln('<form name="theForm">');

        /***** begin output of drop downs *****/
```

```

        writeln('<select name="category" onchange="top.changeSubcat(this.form)">');

        // write the zeroLevel names (1st select box)
        for(yy=0; yy < zeroLevelNames.length; yy++)
5      {
        writeln('<option value=' + yy + '>' + zeroLevelNames[yy]);
      }
        writeln('</select>');

10      writeln('<select name="subcat" onchange="top.getLink(this.form)">');

        writeln('<option value="">' + filler);

        for(zz=0; zz < dropWindowSize; zz++) // do the 'added' options
15      {
        writeln('<option value="">');
      }
        writeln('</select>');

20      writeln('<select name="links">');
        writeln('<option value="">' + filler);

        for(zz=0; zz < dropWindowSize; zz++) // do the 'added' options
25      {
        writeln('<option value="">');
      }
        writeln('</select><input type=BUTTON value="GO!" onClick="top.doRef(this.form)"><br>');

        } // end with()
30      </script>
      </BODY>
    </HTML>

```

### drop\_downs.js

The listing entitled "drop\_downs.js" as found below  
 35 includes the javascript routines to facilitate the databases and/or  
 stored values used to drive generation of a search sentence in  
 accordance with a preferred embodiment of the present invention.  
 Those familiar with javascript will immediately understand the  
 constructs found in drop\_downs.js after careful review of the  
 40 same.

```

// set this to the max# of select options you want displayed
var dropWindowSize = 25;
var zeroLevel = new Array();
var zeroLevelNames = new Array('BUY','SELL','TRAVEL');
45 var finals = new Array();
var destinations = new Array();

zeroLevel[0] = new Array('A CAR','A COMPUTER','A BOOK','A CD');
zeroLevel[1] = new Array('MY HOUSE','MY CAR','STAMPS');
50 zeroLevel[2] = new Array('BY PLANE','BY TRAIN');

finals['A CAR'] = new Array('FROM TOYOTA','FROM FORD','FROM CHRYSLER','FROM HYUNDAI');
finals['A COMPUTER'] = new Array('FROM COMPAQ','FROM DELL');
finals['A BOOK'] = new Array('FROM AMAZON','FROM B & N','FROM BORDERS');

```

```

finals['A CD'] = new Array('FROM CDNOW','FROM AMAZON','FROM BMG');

finals['MY HOUSE'] = new Array('THROUGH REMAX','WITH CENTURY21');
finals['MY CAR'] = new Array('IN AUTO TRADER');
5  finals['STAMPS'] = new Array('ON EBAY','ON UBID');

finals['BY PLANE'] = new Array('TO EUROPE','TO CLUB MED');
finals['BY TRAIN'] = new Array('ON AMTRAK','THROUGH EUROPE');

10  destinations['FROM TOYOTA'] = 'www.toyota.com';
    destinations['FROM FORD'] = 'www.ford.com';
    destinations['FROM CHRYSLER'] = 'www.chrysler.com';
    destinations['FROM HYUNDAI'] = 'www.hyundai.com';

15  destinations['FROM COMPAQ'] = 'www.compaq.com';
    destinations['FROM DELL'] = 'www.dell.com';

    destinations['FROM AMAZON'] = 'www.amazon.com';
    destinations['FROM B & N'] = 'www.barnesandnoble.com';
20  destinations['FROM BORDERS'] = 'www.borders.com';

    destinations['FROM CDNOW'] = 'www.cdnw.com';
    destinations['FROM AMAZON'] = 'www.amazon.com';
    destinations['FROM BMG'] = 'www.bmg.com';
25  destinations['THROUGH REMAX'] = 'www.remax.com';
    destinations['WITH CENTURY21'] = 'www.century21.com';

    destinations['IN AUTO TRADER'] = 'www.autotrader.com';
30  destinations['ON EBAY'] = 'www.ebay.com';
    destinations['ON UBID'] = 'www.ubid.com';

    destinations['TO EUROPE'] = 'www.1800flycheap.com';
35  destinations['TO CLUB MED'] = 'www.clubmed.com';

    destinations['ON AMTRAK'] = 'www.amtrak.com';
    destinations['THROUGH EUROPE'] = 'www.eurail.com';

40      It is important to note that although drop_downs.js includes
      "hard-coded" database entries in the form of variable declarations
      and the like, the present invention is not so limited. In fact, any
      form of database of stored values that may be used to drive
      sentence part selection (e.g., tables containing field or column
45  values and the like, variable declarations in a file, etc.) may be
      used instead. The use of such database constructs, in general,
      will be immediately understood by those skilled in the art after
      carefully reviewing the present invention.

```

50 menu\_functions.js





```

function doRef(form)
{
  if(availableLink)
  {
5    var thisDestination =
top.destinations[top.document.forms[0].links.options[top.document.forms[0].links.selectedIndex].text];

    var outUrl = ('http://' + thisDestination);
    window.open(outUrl,"URL","width=630,height=400,status=no,resizable,scrollbars");
10  }
}

```

With all of the structural aspects of the present invention as discussed above, it is important to note that although search sentence construction has been described with reference to sentence parts including a verb, a subject, and a destination to realize a destination navigation instruction (e.g., a URL, etc.), the present invention is not so limited. To the contrary, any number of or type of sentence parts may be used. For example, search sentences may be generated in response to user selection of just a verb, a verb and a destination, etc. There is no requirement that sentence parts, in the context of the present invention, take on any particular definition (e.g., a verb type part, etc.) or any particular meaning. Accordingly, the present invention it should be appreciated that the present invention is concerned with the drop-down nature of hierarchically arranged and available options to narrow-down content (e.g., network content, etc.) selection criteria.

### 30 **OPERATIONAL ASPECTS OF THE PRESENT INVENTION**

Referring now to FIGS. 3A and 3B, depicted therein is a flowchart that illustrates the operations that may be carried out to facilitate search sentence construction and corresponding destination navigation instruction generation in accordance with a preferred embodiment of the present invention. The process and operation steps discussed below are intended to be carried out or otherwise performed through use of a personal data processing

system or other similar network client system, etc. that is outfitted with a WWW browser software package such as the NETSCAPE COMMUNICATOR V.4.5 which is manufactured by NETSCAPE COMMUNICATIONS CORP.

5 In particular, processing and operations start at step S3-1 and immediately proceed to step S3-2.

At step S3-2, after receiving computer software of the type described and listed above, a user may select a verb clause (e.g., "BUY," "SELL," etc.). Accordingly, after step S3-2 is performed,  
10 the "A" part of the expression  $A+B+C=D$  as described above with regard to FIG. 2 is complete.

Next, at step S3-3, subject database entries are entered or otherwise filled into an array or other data structure that corresponds to drop-down box 104 (FIG. 1). Such database  
15 entries are available subject entries which correspond to the verb sentence part selected in step S3-2.

Next, at step S3-4, the user may select (e.g., from a drop-down box, etc.) a particular subject from listed, available subjects as established during step S3-3. Accordingly, after step S3-4 is  
20 performed, the "B" part of the expression  $A+B+C=D$  as described above with regard to FIG. 2 is complete.

Next, at step S3-5, available providers are entered or otherwise filled into an array or other data structure that corresponds to drop-down box 106 (FIG. 1). Such database  
25 entries are available providers entries which correspond to the subject selected by the user at step S3-4.

Processing and operations continue at step S3-6 at the top of FIG. 3B to which reference is now made.

At step S3-6, the user selects a provider from the available  
30 providers automatically inserted into the aforementioned database structure (e.g., an array, etc.). Accordingly, after step S3-6 is

performed, the "C" part of the expression  $A+B+C=D$  as described above with regard to FIG. 2 is complete.

Next, at step S3-7, a destination navigation instruction (e.g., an URL, etc.) is held as established based on user-selected sentence parts including a verb, a subject, and a provider. Hence, the destination navigation instruction that is generated as a result of the search sentence construction operations described above, is the "D" in the expression  $A+B+C=D$  that was discussed in regard to FIG. 2.

Next, at step S3-8, an URL, for example, corresponding to the established destination navigation instruction that was generated as described above is traversed or otherwise processed to access corresponding content, web sites, network locations and resources, etc. Of course, our URL need not necessarily point to a remote location, and instead may point to a local drive, file, etc. for content.

Next, at step S3-9, a destination WWW site or other network content is downloaded in accordance with the destination navigation instruction to the WWW browser application for manifestation thereby. For example, content received from a network connection may be displayed on a visual display device connected to a personal data processing system.

Processing and operations end at step S3-10.

Thus, having fully described the present invention by way of example with reference to attached drawing figures, it will be readily appreciated that many changes and modifications may be made to the invention and to any of the exemplary embodiments shown and/or described herein without departing from the spirit or scope of the invention, which is defined in the appended claims.